

# Abstract

Iria Pantazi

January 2018

Over the last six decades there has been a trend for miniaturization of electronic devices, and especially integrated circuits (1) by cramming as many electronic components as possible in a defined space. The benefits of this trend are the improvement of portability and efficiency, as well as the reduction of the cost of silicon-based devices. Nevertheless, the miniaturization of silicon-based devices has reached its physical limit (2), making the discovery of new materials necessary.

In my research towards the investigation of alternative materials that can substitute silicon, I focused on a new class of quasi-1D structures. These structures are made of extreme nanowires (ENWs) of crystalline materials with a cross sections of up to 3 atoms wide, encapsulated inside carbon nanotubes (CNTs). The material that I studies as a CNT-filling was silver selenide ( $Ag_2Se$ ). Such quasi-1D structures can be used as conducting wires in nano-circuits, and are promising candidates that can be used as nano-phase-change materials in memory devices.

In my talk I will give an overview of the theoretical work I did, on  $Ag_2Se$  ENWs encapsulated inside CNTs. I will describe the computational tools that I utilized for the discovery of the  $Ag_2Se$  geometries, namely *Ab Initio Random Structure Searching (AIRSS)* (3) method, *MATerials and Atomistic Database Of Relaxations (MATADOR)* (4) database, and the DFT code CASTEP(5).




Figure 1:  $Ag_2Se$  ENW inside CNT.

## References

- [1] R. Keyes *IBM*, vol. 32, no. 1, pp. 84–88, 1988.
- [2] L. Kish *Physics Letters A*, pp. 144–149.
- [3] C. J. Pickard and R. J. Needs, “Ab Initio Random Structure Searching,” *J. Phys.: Condens. Matter*, 2011.
- [4] M. Evans, “MATerial and Atomic Database of Relaxations,” *private communication*.
- [5] S. J. Clark, M. D. Segall, C. J. Pickard, P. J. Hasnip, M. J. Probert, K. Refson, and M. C. Payne *Zeitschrift fuer Kristallographie*, pp. 567–570.